

CRUDE OIL
PIPELINE
INJECTION
PUMPS

HEAVY DUTY GEAR PUMPS

EXPERIENCE


RELIABILITY

SAFETY



FEATURES & BENEFITS

- Discharge pressures up to 1440 PSI
- · Very smooth pulse free flow
- · Easily varied flow output
- · No elastomers or stators
- · Competitively priced
- · Short lead times
- · Small Footprint



For over 85 years Northern has been manufacturing the most reliable gear pump in the industry. We pride ourselves on regularly accomplishing for our customers what no other pump company can achieve. Northern's ability to produce discharge pressures up to 1440 psig and a broad turn-down ratio has made it the ideal pump for crude oil injection for pipeline applications. Whether the application is discharging from a LACT unit or providing boost for systems that have become inadequate do to increasing line pressures, Northern has performed flawlessly.

At approximately 30% of the size of a progressive cavity pump, Northern is so much more user friendly and there are no elastomer stators to swell or seize.



CRUDE OIL PIPELINE INJECTION PUMPS

EXPERIENCE RELIABILITY SAFETY

Phone: 800-366-1410

www.northern-pump.com

E-mail:

info@northern-pumps.com

Office:

340 W Benson Aveune Grantsburg WI 54840


Fax: 715-463-5174

Specifications:

Flow: Up to 195 GPM / 6686 BPD Pressure: Up to 1440 PSI

Pressure	Flow Rates														
Differential	4900-10			4900-15			4900-20			4900-25			4900-30		
PSI	GPM	BPD		GPM	BPD		GPM	BPD		GPM	BPD		GPM	BPD	
200	64	2194		96	3291		129	4423		162	5554	Ĩ	195	6686	
400	60	2057		92	3154		124	4251		156	5349		188	6446	
600	56	1920		88	3017		119	4080		150	5143		-	-	
800	52	1783		83	2846		114	3909		-	1-0		1-	-	
1000	49	1680		79	2709		-	-		-	-		-	-	
Max Δ Pressure	1440 PSI			1165 PSI			875 PSI			700 PSI			580 PSI		

^{*}Flow calculations are at 1750 RPM, assuming 4 cP crude oil.



Materials of Construction:

Gears: Hardened and Ground 8620 Alloy Steel Shafts: Hardened and Ground 8620 Alloy Steel

Bearings: AISI 52100 Roller Bearings

Shaft Seal: Type 8B-1 or 8-1 Mechanical Seal

Inlet/Outlet Connections: NPT or Flanged available.

Northern is 100% US manufactured which provides for quick deliveries and easy serviceability.

Contact us with your application today!



HIGH PRESSURE DIFFERENTIAL

RUGGED DESIGN

PRECISION MANUFACTURING





Manufacturing the Highest Quality Pumps for over 85 years



Phone: 800 - 366 - 1410

www.northern-pump.com E-mail: info@northern-pump.com 340 W Benson Avenue, Grantsburg WI 54840 Fax: 715-463-5174